

# SPT-S280J





Beer / Liquor Stores





Tobacco / Wine / Small Grocery Stores





Convenience Stores / Dollar Stores / Gift Shops







Hardware, Paint or General Retail Stores

NCC Reflection POS is powered by the most feature-rich software of any product in its class. This system is designed for a wide variety of retail store concepts including General Stores, Liquor Stores, Small Grocery, Discount Stores and Convenience Stores. Reflection POS has the functionality to meet the demands of most retail operations.

- Intel Elkhart Lake Quad Core J6412 Fanless CPU
- 4GB DDR4 RAM (Expandable)
- 128GB SSD
- 15" Projected Capacitive Touchscreen
- · Energy Efficient and Low Heat Generation Architecture
- Meets IP55 Standards for Protection from Exposure to Dust
- Fanless Operation No Ventilation Holes
- · Superior Serviceability and Easy Installation
- · Self-Healing, Fully Data-Redundant Network
- · Integrated Credit Card / PIN Debit / Gift Card Processing
- Integrated Credit Card / PIN Debit / Gilt Card Process
   Item Scanning For Up to 30,000 Products











Graphic screens guide operators with minimal training. Condiments, flavors, instructions and options can be placed upon one key. When an item is registered, a specific key displays the options available for the item.

# Powerful NCC Reflection POS® Software Features

- Up to 30,000 Products
- Product Scanning
- Coupon Scanning
- Link PLU/High-Cone
- Member/Non-Member Pricing
- Mix & Match
- Not Found PLU
- Item Countdown with Automatic 86
- Ounce/Pound Scale Interface
- Time of Day / Day of Week Pricing
- Drivers License Birthdate Verification
- Price Check Function
- Customer Rewards
- Customer Charge Accounts
- Integrated Credit / Debit / Gift / EBT
- Inventory Control
- Labor Scheduling and Time & Attendance
- Self-Healing, Fully Data-Redundant Network
- Online Ordering Option and Delivery
- Available Loyalty Module
- Food Stamp Sorting and Tendering
- End-of-Day Data Sent to a Corporate FTP Site
- Interface to Optional Insight BackOffice™ Software

### No Single Point of Failure

NCC Reflection POS is equipped with the most sophisticated, terminal-redundant network on the market. Using the integrated high-speed Ethernet, all system information is replicated on every terminal across the TCP/IP network. If a terminal is removed from the LAN, all information is automatically synchronized when the terminal re-enters the network.

### Inventory

An integrated inventory system accurately tracks product usage. Item count down feature can signal the manager that a particular product is no longer available, while inventory reports provide usage details and cost information.

#### **Built in Time Clock**

Using the available time clock feature, NCC Reflection POS will help managers capture the valuable information necessary to control labor costs. Employee clock in/out procedures can either be performed by numeric entry, magnetic card or digital I-Button. Security levels assigned by job codes provide the controls necessary to access POS functions. Detailed time clock reports will provide employee punch time data with accumulated pay period totals, as well as additional reports to provide critical labor to sales information.

### **Programming**

With NCC Reflection POS, no back office PC is required to make changes or additions to the system tables. All item, employee, screen design, etc., changes may be performed directly on the POS terminal in an easy to use programming mode using an on screen touch keyboard. Changes are accomplished easily and are immediately available to all stations in the POS system.

### **Extensive Reporting**

NCC Reflection POS has a wide range of real time reports. Reports can be

obtained locally at each station or on the back room PC if equipped with the optional PC Workstation software. Report data can also be exported and communicated via FTP push or poll methods for use with other reporting solutions. Detailed information can be obtained by station, system, revenue center, user and many more.

# NCC Reflection POS® Certifications



NCC Reflection POS is validated by an independent Qualified Security Assessor to

meet or exceed PCI requirements for card payment processing.




NCC Reflection POS is also validated by National Weights and measures to meet

requirements for integrated electronic scales.


# SPT-S280J Features and Specifications

The SPT-S280J integrated touch screen terminal is the ideal host for NCC Reflection POS™ Software. The high performance terminal features powerful Elkhart Lake Intel Celeron J6412 quad-core CPU to reliably and efficiently power demanding POS applications in general stores, liquor stores, small grocery, discount stores and convenience stores. The SPT-S280J BIOS is specifically configured for optimum performance with NCC Reflection POS Software.

### SPT-S280J NCC Reflection POS® Touch Screen Terminal



An integrated inventory system accurately tracks product usage.



No back office PC is required to make changes or additions to the system tables.

The attractive, powerful SAM4s SPT-S280J NCC Reflection POS is ideal for installations including retail scanning and many more like these:

- · Airport Kiosks / Mall Kiosks
- · Amusement Parks
- · Apparel & Accessory Shops
- Aquariums
- Arcades
- · Auto Parts / Auto Tire Stores
- Bakeries
- · Barber & Beauty Shops
- · Bars, Taverns & **Niahtclubs**
- · Boat Supplies
- · Book Stores
- · Boutiques
- · Bowling Alleys · Bicycle Sales & Service
- · Camera/Photo Supply
- · Candy Nut & Confectionery
- · Car Washes
- · Carnivals / Festivals
- · Children & Infant Ware
- Chinese Restaurant/ Carry-out
- · Clothing Rental
- · Coffee/Cappuccino Shops
- · Concessions
- · Convenience Stores
- · Cosmetic Stores
- · Craft Shops
- Delicatessens
- Dentists
- · Drug Stores & Pharmacies
- Dry Cleaners · Ethnic Markets
- Eyeglasses/Vision Centers
- Family Restaurants
- · Flea Markets
- Flower Shops
- Gas Stations · Gift, Card, & Novelty
- · Glass, Paint & Wallpaper Stores
- · Golf Courses
- · Hardware Stores
- · Health & Beauty Spas / Hair Care

- · Hobby Toys and Game Shops
- Hot Dog Stands
- Ice Cream/Soft Serve/ Yogurt
- Landscaping Services
- · Liquor/Beer/Wine
- Stores
- · Lumber & Building Materials
- · Marinas, Marine Service & Sales
- · Medical Offices · Men's/Boy's Clothing
- · Movie Theatres
- · Music & Instruments
- · News Dealers & Newsstands
- · Nursery, Lawn & Garden
- · Orchards
- · Pet Shops
- · Photography Studios
- · Plumbing & Heating Equipment
- · Quick Service/Fast Food Rest.
- · Record/Music Stores
- · Resorts/Campgrounds
- · Seasonal Merchandise
- · Shoe Stores/Shoe Repair
- · Smoothies/Custard
- · Souvenir Stands
- · Specialty Food Stores
- · Sporting Goods/
- Sports Apparel · Stadiums/Ball Parks
- · Stationary & Office Supplies
- Submarine
- Sandwiches
- · Tailors, Mending & Alterations
- · Tanning Salon
- · Tattoo Parlors
- · Theme Parks
- · Ticket Offices
- · Tobacco Shops
- · Used/Second Hand Store
- · Variety Stores
- · Veterinary Services
- · Video Rental
- · Women's Apparel



Choose the platform that best suits your business...

NCC Reflection POS® Embedded

The Embedded Reflection application runs on an embedded real-time

operating system. Because Windows™ is not deployed, you have the

your POS station, run other applications or inadvertently load viruses or

spyware. Your NCC embedded application is installed on an 8GB SSD,

For unprecedented savings, security, reliability and redundancy, NCC

Reflection POS Embedded is the preferred NCC platform.

not a hard disk drive, providing additional speed and exceptional reliability.

security of knowing that your staff is unable to open the Internet on

The same reliable Reflection application can be installed on a Windows™ operating system platform. Reflection for Windows allows the possibility of running applications other than NCC, performing remote file maintenance. or using Datacap Systems NETePay™

rather than a Datacap Tran™ device. The Reflection Windows™ version will also support an optional rear LCD customer display screen as well as other standard Windows peripherals. Consult with your NCC Reseller to determine which Reflection operating system platform is

















## SPT-S280J NCC Reflection POS® Touch Screen Terminal



Sleek and Stylish Cabinet Design



Optional Integrated 9.7" and 15" Rear LCD Customer Displays



Optional Integrated Rear 2 Lines by 20 Characters VFD Customer Display



Two | Additional USB Ports

Easy Access to Solid State Drive

### **Options and Upgrades**

Configure your system with these easy to add options:

- Integrated VFD Customer Display
   2 Lines x 20 Characters
- Integrated 9.7" or 15" LCD Customer Displays (NCC Reflection POS for Windows Only)
- Wall Mount Bracket with Standard VESA Configuration

### Connectivity

A COM2 (Powered)

**B** COM4 (Powered)

C COM1 (Powered)

**D** Line Out (Audio)

**E** LAN

**F** USB (2 V3.0)

G COM3 (Powered)

**H** USB (2 V3.0)

I VGA Port

J DC In (Power)

K DC Out (For Rear LCD)

L Drawer Voltage Selector Switch

M Cash Drawer

#### **Specifications**

#### **Embedded**

**Windows** 

**Processor:** Intel Celeron Quad Core J6412

Cores / Threads: 4 Cores / 4 Threads

Cache Memory: 1.5MB

**Display LCD:** True Flat 15" LCD with LED Backlighting

Resolution: 1024 x 768

Brightness: Adjustable Up to 250 cd/m²
Integrated Speakers: Integrated 2.0W Speaker

Chipset (PCH): System on Chip

**Touch:** Projected Capacitive Touch (PCT)

MCR: Integrated USB Interface Triple Track MCR

Mass Storage Device: 8GB 2.5" Solid State Drive 128GB 2.5" Solid State Drive

Standard O/S: Not Applicable POSReady 7

RAM Memory (2 Slots): 4GB SODIMM DDRIV (3200MHz) Expandable To 16GB

Video Memory: Shared System Memory Up to 1.7GB

**Serial Ports: COM1 / COM2 / COM4 =** DB9M With Pin 9 (0V/+5V/+12V)

**COM3** = RJ45 Pin 1 (0V+5V/+12V) Voltage Selectable

By BIOS

**USB Ports:** Six Total – Four V3.0 (Rear I/O) / Two V2.0 (Side I/O)

Cash Drawer Port: RJ12, 12V or 24V Selectable By Switch –

Maximum 2 Drawers – Supports Drawer Compulsion

LAN Port: RJ45 10/100/1000 Base-T (Giga LAN) RealTek RTL8111H

VGA Port: One VGA Port For Second LCD

Audio Port: One Line-Out
Mic Port: Not Applicable

Power Supply: 60W, 12V/5A External Power Adaptor 100-240V 50-60Hz

Current / Power Usage: 0.18A / 21.6W

**Environment:** 32° F to 104° F / 0% to 90% RH Non-Condensing

**Dim. / Weight – Base:** 8-1/2"W x 10"D x 1-1/4"H

**Unit:** 14-7/8"W x 10-3/8"D x 14-1/4"H / 13.22 lbs.

**Shipping Carton:** 19"L x 13"W x 18"H / 19 lbs.

Safety and EMI: FCC, NRTL, RoHS

